

Docket No.: 11111/2002

Date of Deposit: December 23, 2003

11

SEQUENCE LISTING

<110> Genitrix, LLC Segal, Andrew H Young, Elihu <120> LECTIN COMPOSITIONS AND METHODS FOR MODULATING AN IMMUNE RESPONSE TO AN ANTIGEN <130> 11111/2002 <140> US 10/645,000 <141> 2003-08-20 <150> US 60/404,823 <151> 2002-08-20 <150> US 60/487,407 <151> 2003-07-15 <160> 32 <170> PatentIn version 3.2 <210> 1 <211> 11 <212> DNA <213> Artificial Sequence <220> <223> Sequence motif: P sequence <400> 1 cgaaaatttc c <210> 2 <211> 11 <212> PRT <213> Artificial Sequence <220> <223> Linker sequence intended to lessen steric hindrance or other undesirable interactions between first and second parts of the multifunction molecule <400> 2

Arg Ala Arg Asn Pro Arg Val Pro Val Ala Thr

- <210> 3
- <211> 5
- <212> PRT
- <213> Artificial Sequence

Docket No.: 11111/2002

Date of Deposit: December 23, 2003

```
<220>
<223> Motif in the extracellular region, typical of type-1 cytokine
      receptors
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid
<400> 3
Trp Ser Xaa Trp Ser
1
                5
<210> 4
<211> 148
<212> DNA
<213> Artificial Sequence
<220>
<223> GTX-5
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' phosphate
<400> 4
aattccgcgc cggcacagtg ctcagagaca aactggtcaa gtgtgagggc atcagcctgc
                                                                      60
tggctcagaa cacctcgtgg ctgctgctgc tcctgctgtc cctctccctc ctccaggcca
                                                                     120
cggatttcat gtccctgtga ctgggtac
                                                                     148
<210> 5
<211> 140
<212> DNA
<213> Artificial Sequence
<220>
<223> GTX-6
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' phosphate
<400> 5
ccagtcacag ggacatgaaa tccgtggcct ggaggaggga gagggacagc aggagcagca
                                                                      60
gcagccacga ggtgttctga gccagcaggc tgatgccctc acacttgacc agtttgtctc
                                                                     120
```

| tgagcactgt gccggcgcg 140 | | | | |
|--------------------------|---|--|--|--|
| | | | | |
| <210> | 6 | | | |
| <211> | | | | |
| <212> | | | | |
| | Artificial Sequence | | | |
| 10.10 | | | | |
| <220> | | | | |
| <223> | Upstream primer for PCR amplification of GM-CSF coding sequence | | | |
| | | | | |
| <400> | 6 | | | |
| ccgaatt | cat gtggctgcag aatttacttt tcctgggcat tgtggtctac 50 | | | |
| | | | | |
| <210> | 7 | | | |
| <211> | 50 | | | |
| <211> | | | | |
| | Artificial Sequence | | | |
| (213) | ALCILICIAL DEQUENCE | | | |
| <220> | | | | |
| <223> | Downstream primer for PCR amplification of GM-CSF coding sequence | | | |
| | | | | |
| <400> | 7 | | | |
| cagccgg | gett tttggaetgg ttttttgeat teaaagggga tateagteag 50 | | | |
| | • | | | |
| | | | | |
| <210> | 8 | | | |
| <211> | 37 | | | |
| <212> | DNA Antificial Commence | | | |
| <213> | Artificial Sequence | | | |
| <220> | · | | | |
| <223> | Upstream primer for PCR amplification of the 280 bp GPI | | | |
| | modification signal sequence from the yeast protein Gas1 | | | |
| | | | | |
| <400> | 8 | | | |
| gtagcc | ggcg ctagctcggg gtcttcttcc aagtcta 37 | | | |
| | | | | |
| 010 | | | | |
| <210> | 9 | | | |
| <211> | 40 | | | |
| <212> | DNA Artificial Company | | | |
| <213> | Artificial Sequence | | | |
| <220> | | | | |
| | Downstream primer for PCR amplification of the 280 bp GPI | | | |
| | modification signal sequence from the yeast protein Gas1 | | | |
| | 4 | | | |
| <400> | 9 | | | |
| tacggta | accc ctaggccaca atgaaataag ataccatacc 40 | | | |
| | | | | |
| .010 | 1.0 | | | |
| <210><211> | 10 | | | |
| <211> | | | | |
| | Artificial Sequence | | | |
| | | | | |

| <220> | | |
|--------|---|----|
| <223> | Upstream primer for PCR amplification of GMCSF-Gas1 insert | |
| <400> | 10 | |
| tacggc | cggc acccacccgc tcaccc | 26 |
| | | |
| <210> | 11 | |
| <211> | 31 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Downstream primer for PCR amplification of GMCSF-Gas1 insert | |
| <400> | 11 . | |
| tacggc | cgcc acaatgaaaa taagatacca t | 31 |
| | | |
| <210> | 12 | |
| <211> | 38 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Upstream primer for PCR amplification of Human GM-CSF | |
| <400> | 12 | |
| gcgaat | cccg gccggcaccc gcccgctcgc ccagcccc | 38 |
| | | |
| <210> | 13 | |
| <211> | 32 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Downstream primer for PCR amplification of Human GM-CSF | |
| <400> | | |
| cagccg | gcct cctggactgg ctcccagcag tc | 32 |
| | | |
| <210> | 14 | |
| <211> | 32 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Upstream primer for PCR to clone GM-CSF Gas1g into the pITY-4 | |
| | expression vector | |
| <400> | | |
| tacggc | cggc acccgcccgc tcgcccagcc cc | 32 |

Docket No.: 11111/2002

Date of Deposit: December 23, 2003

```
<210> 15
<211> 31
<212> DNA
<213> Artificial Sequence
<220>
<223> Downstream primer for PCR to clone GM-CSF Gas1g into the pITY-4
      expression vector
<400> 15
tacggccgcc acaatgaaaa taagatacca t
                                                                     31
<210> 16
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide for use in cloning of GM-CSF/Influenza
      Hemagglutinin Chimeric Proteins
<400> 16
ccggcactag tggcggaggg ggctccggcg gcgggggcag cg
                                                                     42
<210> 17
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide for use in cloning of GM-CSF/Influenza
      Hemagglutinin Chimeric Proteins
<400> 17
ctagcgctgc cccgccgcc ggcgccccct ccgccactag tg
                                                                     42
<210> 18
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Amino acid sequence designed to insert a kink/spacer in the
      protein between the GMCSF and the Gas1.1 moieties
<400> 18
Gly Gly Gly Ser Gly Gly Gly Ser
                                   10
<210> 19
<211> 26
<212> DNA
```

| <213> | Artificial Sequence | |
|---------------|--|----|
| <220> | | |
| <223> | Upstream Primer for PCR of HA1 | |
| <400> | 19 | |
| atgcta | gcga cacaatatgt ataggc | 26 |
| | | |
| <210> | 20 | |
| <211> | | |
| <212> | | |
| | Artificial Sequence | |
| 000 | | |
| <220> | Downstream Primer for PCR of HA1 | |
| \ZZJ / | DOWNStleam Filmer for FCR Of hAr | |
| <400> | 20 | |
| atggta | cccg gccgttatca tctggattga atggacgg | 38 |
| | | |
| <210> | 21 | |
| <211> | | |
| <212> | | |
| | Artificial Sequence | |
| | • | |
| <220> | | |
| <223> | Upstream primer for PCR of pUC19 GM-CSF-K-HA | |
| <400> | 21 | |
| | cggc acccacccgc tcaccc | 26 |
| 33 | | |
| | | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Downstream primer for PCR of pUC19 GM-CSF-K-HA | |
| | | |
| <400> | 22 cccg gccgttatca tctggattga atggacgg | 38 |
| acygea | deeg geegitatea tetiggatega atggategg | 30 |
| | | |
| <210> | 23 | |
| <211> | 32 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| | Upstream primer for cloning of HA-K sequence by PCR of the HA1 | |
| -223/ | coding sequence from a plasmid encoding the HA gene of the | |
| | A/PR/8/34 strain of influenza. | |
| | ,, -, | |
| <400> | 23 | |
| ctgaat | tccg gccggacaca atatgtatag gc | 32 |

| <210><211><211> | | |
|---------------------------|---|----|
| | Artificial Sequence | |
| <220> <223> | Downstream primer for cloning of HA-K sequence by PCR of the HZ coding sequence from a plasmid encoding the HA gene of the A/PR/8/34 strain of influenza. | A1 |
| <400> atggtad | 24 ccgc tgcccccgcc gccggagccc cctccgccac ttctggattg aatggacgga | 60 |
| at | | 62 |
| <212> | 25 29 DNA Artificial Sequence | |
| <220> <223> | Upstream primer for PCR cloning of GM-CSF fragment | |
| <400> acggtad | 25 ccgc acccacccgc tcacccatc | 29 |
| <210><211><211><212><213> | 40 | |
| <220> <223> | Upstream primer for PCR cloning of GM-CSF fragment | |
| <400> taggato | 26 cccg gccgtcattt ttggactggt tttttgcacg | 40 |
| <211> <212> | | |
| <220> <223> | Upstream primer for PCR of pUC19 HA-K-GM-CSF | |
| <400> ctgaatt | 27 tccg gccggacaca atatgtatag gc | 32 |
| <210><211><211> | 28 40 DNA | |

| <213> | Artificial Sequence | |
|----------------|---|----|
| <220> | | |
| | Downstream primer for PCR of pUC19 HA-K-GM-CSF | |
| <400> | 28 | |
| | ccg gccgtcattt ttggactggt tttttgcacg | 40 |
| cayyac | seeg geegeedeer reggaergge recegedeg | 10 |
| | | - |
| <210> | 29 | |
| <211> | 35 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| | | |
| <220> | | |
| <223> | Upstream hGM-CSF Primer | |
| <400> | 29 | |
| | ccg gccggcaccc gcccgctcgc ccagc | 35 |
| gcgaact | cog googgeacee goodge coage | 23 |
| | | |
| <210> | 30 | |
| <211> | 29 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| | <u>-</u> | |
| <220> | | |
| <223> | Downstream hGM-CSF Primer | |
| | | |
| <400> | | |
| tagccgg | geet eetggaetgg eteceagea | 29 |
| | | |
| -210- | 21 | |
| <210> <211> | | _ |
| <211> | | • |
| | Artificial Sequence | |
| (213) | THE ELLICIAL DEGLETICE | |
| <220> | | |
| <223> | Upstream primer for PCR of pUC19 hGM-CSF-K-HA | |
| | | |
| <400> | 31 | |
| gcgaatt | ccg gccggcaccc gcccgctcgc ccagc | 35 |
| | | |
| .030 | 22 | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| | Downstream primer for PCR of pUC19 hGM-CSF-K-HA | |
| | | |
| <400> | 32 | |
| atggtad | ccg gccgttatca tctggattga atggacgg | 38 |
| | | |